

# Kubota



## KUBOTA DIESEL RIDE-ON MOWER

# GR

## GR1600ID - INFINITY DECK

The new GR1600ID provides more strength and better fuel economy over petrol-powered mowers, and its combination with our revolutionary 3-in-1 mower deck deliver an outstanding cut every time.

# ∞ INFINITY DECK



**13.5  
HP**

**Power, reliability and savings.  
The hallmarks of a Kubota diesel engine.**

Amazingly, the GR1600ID's 13.5 HP diesel engine's powerful performance can compete head-to-head with a 20 HP petrol engine, while providing better fuel economy. To further extend your uninterrupted mowing time there is a large 18-litre fuel tank fitted. Another plus is that our diesel engine requires no special maintenance during the off-season. And finally, when you consider cost and performance, the GR1600ID delivers outstanding value for your money.



**Trailer Hitch**



**Easy Reach Cutting Height Adjustment Dial**



**HST transmission**

Kubota's reputable and versatile HST transmission is easily controlled by a single foot pedal and produces a maximum travel speed of 10 km/h.



**Shaft drive**

Unlike the belt-drive system used in petrol mowers, our shaft-drive transmission, shaft-drive PTO, and wet-type mechanical PTO clutch are incredibly durable and trouble free.



# Make lawn mowing trouble-free with the easy-to-attach and use 3-in-1 mower deck.

## INFINITY DECK

Named for its distinctive counter-rotating figure-eight grass flow, the Infinity Deck's most notable benefit is its ability to quickly and easily change cutting modes without having to change


blades. The proprietary secret behind this 3-in-1 deck is its sturdy steel "gate" that slides to cover the discharge area, thus speedily turning the deck into a mulching deck.

### 1 Side-Discharge Mode

In this mode, the deck discharges grass evenly and efficiently through the side of the deck, utilizing two counter-rotating blades. The flow created by these blades is where the Infinity Deck gets its name.



*Gate open with discharge chute*



### 2 Mulching Mode

To change from side-discharge to mulching mode, simply slide the steel gate, conveniently located on the outside of the deck, to the front of the discharge area. This feature, along with the deck's rounded shoulders, keeps grass under the deck, ensuring the perfect mulch. No special blades, tools or optional attachments are needed.



*Gate closed*




### 3 Grass Collecting Mode

Using the optional grass collector is now easier than ever. Its innovative design makes attaching the grass collector boot simple as well; no tools required. Just use your hands to attach and detach for your occasional collecting needs.



*Gate open with grass catcher attached*



***Visually eye-catching and easier than ever to operate.***

The stylish design of the GR1600ID is emphasised by its aerodynamic bonnet, sleek headlamps and newly fashioned 3-in-1 Infinity Deck. But the beauty of its design doesn't end there. The GR1600ID is also surprisingly comfortable. Its ergonomic design features include a full-flat deck for more legroom and an Easy Checker® dash for clear and precise viewing of all the tractor's controls.



**Quick Attach Light Duty Grass Collector (Optional)**

For your occasional collecting needs, the optional large capacity grass collector is just right for light-duty grass and material collection. Its 250-litre bag lets you mow longer with less stopping for emptying, and its versatile design offers tool-free quick and easy attaching and detaching to save you time and trouble.



# SPECIFICATIONS

Model	GR1600ID	
<b>Engine</b>	2 cylinder, diesel, water-cooled	
Type		
Gross horsepower	HP (kW)	13.5 (10)
Fuel tank capacity	ℓ	18
<b>Dimension</b>		
Overall length	mm	1920
Overall width	mm	1365
Overall height	mm	1210
Wheelbase	mm	1280
Weight	kg	370
<b>Tire</b>		
Front Tire	in.	15 x 6 - 6 Turf
Rear Tire	in.	20 x 10 - 8 Turf
<b>Transmission</b>	Hydrostatic transmission	
<b>Transmission drive</b>	Shaft drive	
<b>Travelling speed</b>		
Forward/Reverse	km/h	0 – 10.0/0 – 5.0
<b>PTO clutch</b>	Mechanical wet multi discs	
<b>Mower deck drive</b>	U-joint shaft	
<b>Operator's deck</b>	Flat	
<b>Seat adjustment</b>	Slide	
<b>Fuel gauge</b>	Std.	
<b>Easy checker®</b>	Std.	
<b>Mower OPC.</b>	Std.	
<b>Travel OPC.</b>	Std.	
<b>Blade shut off brake</b>	Built-in clutch	
<b>Trailer Hitch</b>	Std.	

# MOWER SPECIFICATIONS

<b>Mounting Method</b>	Suspended parallel linkage	
<b>Adjustment of Cutting Height</b>	Dial gauge	
<b>Cutting Width</b>	in. (mm)	42 (107)
<b>Cutting Height</b>	in. (mm)	1.0 - 4.0 in. (25 to 102 mm)
<b>Number of Blades</b>	2	
<b>Direction of Discharge</b>	Right side	

# OPTIONAL GRASS COLLECTOR SPECIFICATION

<b>No of Bags</b>	2	
<b>Bag Capacity</b>	ℓ	250
<b>Material of bag</b>	Fabric	
<b>Dump System</b>	Manual	

The company reserves the right to change the above specifications without notice. Some attachments shown may not be available in the UK.

Also in the range ...

The petrol mower with Infinity Deck.

## T1880



For superior grass collecting performance with Direct Chute system.

## GR1600-II



For powerful cutting performance in smaller areas.

## W821/R-PRO



©2013 Kubota Corporation

# Kubota

**KUBOTA (U.K.) LIMITED**

Dormer Road Thame, Oxfordshire, OX9 3UN.  
Phone Thame (01844) 268000 Fax (08702) 429677  
E-mail: sales@kubota.co.uk

Web site: <http://www.kubota.co.uk>